



WELDED CONCENTRIC - ECCENTRIC REDUCER

PRODUCT	REDUCER
MATERIAL	STAINLESS STEEL
AISI TYPE	AISI 304/304L - AISI 316/316L EN 1.4301/1.4307 - EN 1.4401/1.4404
NORM	EN 10253

REDUCER



METRIC MEASURES

D ext max	D ext min	H	SP
129	84	125	2
129	104	125	2
154	70	150	2
154	84	150	2
154	104	150	2
156	106	150	3
154	129	150	2
156	131	150	3
204	84	200	2
204	104	200	2
206	106	200	3
204	129	200	2

206	131	200	3
204	154	200	2
206	156	200	3
254	129	250	2
256	131	250	3
254	154	250	2
256	156	250	3
254	204	250	2
256	206	250	3
304	104	300	2
306	106	300	3
304	129	300	2
306	131	300	3

D ext max	D ext min	H	SP
304	154	300	2
306	156	300	3
304	204	300	2
306	206	300	3
308	208	300	4
304	254	300	2
306	256	300	3
308	258	300	4
354	154	350	2
356	156	350	3
358	158	350	4
354	204	350	2
356	206	350	3
358	208	350	4
354	254	350	2
356	256	350	3
358	258	350	4
354	304	350	2
356	306	350	3
358	308	350	4
406	206	400	3
408	208	400	4
406	256	400	3
408	258	400	4
406	306	400	3
408	308	400	4

D ext max	D ext min	H	SP
456	256	450	3
458	258	450	4
456	306	450	3
458	308	450	4
456	356	450	3
458	358	450	4
456	406	450	3
458	408	450	4
506	306	500	3
508	308	500	4
506	356	500	3
508	358	500	4
506	406	500	3
508	408	500	4
506	456	500	3
508	458	500	4
606	356	600	3
608	358	600	4
606	406	600	3
608	408	600	4
606	456	600	3
608	458	600	4
606	506	600	3
608	508	600	4

* The information in the table is indicative and not binding.

* Dimensions are expressed in mm.